

Pizza Place Order Button

```

JButton btnPlaceOrder = new JButton("Place Order");
btnPlaceOrder.addActionListener(new ActionListener() {
    public void actionPerformed(ActionEvent arg0) {

        try {
            String query = "insert into OrderForm (Order_ID, First_Name, Last_Name, Address, City, State, Zip, Phone, Pizza, Crust, Sides,
            Drinks, Total, Combo ) values(?,?,?,?,?,?,?,?,?,?,?,?,?)";
                PreparedStatement pst = connection.prepareStatement(query);

                pst.setString(1, textID.getText());
                pst.setString(2, textFirst.getText());
                pst.setString(3, textLast.getText());
                pst.setString(4, textAddress.getText());
                pst.setString(5, textCity.getText());
                pst.setString(6, textState.getText());
                pst.setString(7, textZip.getText());
                pst.setString(8, textPhone.getText());
                String Pizza = comboPizza.getSelectedItem().toString();
                pst.setString(9, Pizza);

                pst.setString(10, Crust);

                String Sides = comboSides.getSelectedItem().toString();
                pst.setString(11, Sides);
                String Drinks = comboDrink.getSelectedItem().toString();
                pst.setString(12, Drinks);
                pst.setString(13, textTotal.getText());
                String Combo = comboOption.getSelectedItem().toString();
                pst.setString(14, Combo);
        }
    }
});

```

```
        pst.execute();  
  
        JOptionPane.showMessageDialog(null, "Order Received");  
  
        pst.close();  
  
    } catch (Exception e) {  
        e.printStackTrace();  
    }  
    }  
});
```

```
btnPlaceOrder.setFont(new Font("Tahoma", Font.BOLD, 11));  
btnPlaceOrder.setBounds(31, 442, 104, 23);  
contentPane.add(btnPlaceOrder);
```